CUMULATIVE INDEX 1999

Volume 17

February	EVIDENCE BASED EMERGENCY MEDICINE EVALUATION AND DIAGNOSTIC TESTING, pages 1–282
May	ETHICAL ISSUES IN EMERGENCY MEDICINE, pages 283–565
August	DOMESTIC VIOLENCE IN THE EMERGENCY DEPARTMENT, pages 567–737
November	ORTHOPEDIC EMERGENCIES, PART I, pages 739–938

Note: Page numbers of issue and article titles are in **boldface** type

Abandonment, as elder abuse, 633
Abdominal trauma, blunt, diagnostic testing in, recommendations for, 71–72
  evaluation of patient with, **63–75**
    diagnostic tests for, 64–72
    history of, 64–65
    materials and methods for, 64
    physical examination in, 65
  in child abuse, 581–582
Abscess(es), collar button, 816
  of nail plate, 812–813
Abuse, of children. See *Child abuse.*
  responses of victims to, stages of, 669
Abuse Assessment Screen, 651
Abused woman(women), also an aggressor, 670
  and emergency department physicians, future directions for, 628–629
  child abuse and, 670–671
  decision to leave abusive relationship, 665–666
  international, help for, by emergency department physician, 627–628
  personality dysfunction in, 666
  psychopathology in, 668
  sequelae of abuse in, 666
  traumatic stress disorders in, 666–667
Abusers, maintenance of control by, in domestic violence, 662–663
Academic Emergency Medicine, code of conduct for, 288–289
Acoustic reflectometry, in earache, 171–174
Acromioclavicular joint, injuries of, 868–873
Active euthanasia, 553
Activities of daily living, assessment of ability to perform, 506
Adolescent(s), dating by, and date rape, 596–598
  effects of gang violence on, 598
  exposed to violence, as patients in emergency department, 600
  interpersonal violence among, 595–596
  psychosocial assessment of, HEADSS and SHADSSS, 342
  violence by, **595–602**
Adrenal insufficiency, as cause of weakness in elderly, 272
Adult Protective Services, 641
Adults, and children, differences in, 341–342
Advance directive(s), 510, **519–526**, 529–530, 539, 551
  cases of, and discussion of, 522–526
  discussions of, by emergency physicians, 552
    patient characteristics for, 552
  patient education concerning, 522–523
  prehospital, regulation of, 521–522
  valid, overruling of, 549
Airway, management of, in trauma to cervical spine, 745–749
Alcohol, testing for, in head trauma, 16–17
Alcohol withdrawal, as cause of weakness in elderly, 268–269
Alcoholism, chronic, emergency department care in, 365–367

American College of Emergency Physicians, code of professional conduct of, 540
Principles of Ethics for Emergency Physicians, 296–297
American Medical Association, code of medical ethics of, 445
Aneurysms, intracerebral, epidemiology of, 131–132
Angiography, mesenteric, in lower gastrointestinal bleeding, 252–253
Ankle, injuries to, radiography in, 80–86
Antibiotics, in bite wounds of hand, 817
Antipsychotics, for management of violent patient, 724
Aorta, blunt injury to, chest X-ray in, 44–46
computed tomography of chest in, 46–47
thoracic, injury to, aortography in, 49–50
transesophageal echocardiography in, 47–49
Aortography, in thoracic aortic injury, 49–50
Apprehension test, 860
Arrhythmia, syncope in, 193
Arteritis, temporal, 139
Arthritis, septic, in children, 908–909
Assault, by violent patient, protection from, 726–727
Athlete, injured, evaluation of, 779, 781
injury to cervical spine of, 779–786
management of, 784
technique for moving, 779–781, 782
removal of helmet from, 783
unconscious, management of, 779–781, 782
Atlanto-occipital dislocation, 759, 760, 761
Atlanto-occipital dissociation, 759
Atlantoaxial ligamentous injuries, 760–763
Atlas, fractures of, 760, 761
Atrioventricular block, syncope in, 193–194
Autonomy, 291–293
and research, 463
and suicide, 373, 376
in decision to sign out of emergency department, 363–365
informed consent and, 329, 519
Axis, traumatic spondylolisthesis of, 764, 765–766

Back, low, pain in. See *Back pain, low.*
Back pain, evaluation and treatment of, in emergency department, **877–893**
in cancer patients, 891–892
low, 34–37
diagnostic studies in, 882–884
history in, 878–880
in cauda equina syndrome, 889
in herniated intervertebral disk, 887–889
physical examination in, 880–882
rectal examination in, 882
sciatica and, 887–889
spinal cord compression in, 889–891
thoracolumbar radiographic data in, 35–36
spinal trauma and, evaluation of patient with, **25–39**
Back pain syndromes, 884–891
Bankhart's lesion, 867
Batterers, studies of, 613
Battery, 330
Beneficence, 293
Bennett's fracture, 801–802
Benzodiazepines, for management of violent patient, 724, 725
Best interest standard, 549
Biceps tendonitis, 863–866
Biochemical markers, in blunt myocardial injury, 53–55
Bioethics, 283–284
and law, relationship between, 284–286
and religion, relationship between, 286–287
application of, 297–304
clinical practice of, 301–303
prioritizing principles in, 298–301
research in, 304
Biomedical ethics, principles of, **283–306**
Bite wounds, of hand, 816–817
Bites, in child abuse, 583
Bleeding, gastrointestinal. See *Gastrointestinal bleeding.*
Blood culture, in fever without source, 113
Blood urea nitrogen-to-creatinine ratio, in upper gastrointestinal bleeding, 243
Blunt trauma, to head. See *Head trauma, closed.*
to neck, vascular injuries in, 775, 776, 777, 778
Bone scintography, in child abuse, 586
Boutonniere deformity, 810, 811
Brain tumors, 139–140
Breath, shortness of. See *Dyspnea.*
Bruises, in child abuse, 582–583
Buddy splinting, 805
Burning hands syndrome, 785
Burns, in child abuse, 583–584
Bursitis, subacromial, 866

Calcific tendonitis, of shoulder, 866–867
Capacity, and ability to give consent, 508–509
Capital femoral epiphysis, slipped, 910–912

Capitellum fractures, 849–850
Carbon monoxide exposure, 138
Cardiac arrest, "futility" and nonbeneficial interventions in, 530–532
incidence of, and survival from, 527, 528
presenting rhythms as factor in, 527–528
underlying medical condition of patient and, 528
survivors of victims of, communication and counselling for, 533–534
Cardiopulmonary resuscitation, and outcomes of, 527–528
decisions regarding, 531–532
futile, 548
research on, 532–533
risks and benefits of, 528
Carpal dislocations, 836–838
Carpal tunnel, 827
Carpal tunnel syndrome, 840–841
Casuistry, 283
Cauda equina syndrome, low back pain in, 889
Cellulitis, of hand, 812
Cerebrospinal fluid, analysis of, in fever without source, 114–116
Cervical spine, anatomy of, 913
and neck, injuries of, emergency department evaluation and treatment of, **739–791**
"clearing" of, algorithm for, 31
films of, ordering of, 30
imaging of, 750–756
adjunct studies in, 756
costs of, 750–751
in trauma to head and face, 751–752
indications for, 751
initial radiographic examination in, 752–753
x-ray interpretation in, 753–756
injury(ies) of, classification of, 756–757, 758, 759
in children, 912–918
evaluation and treatment of, 914
physical examination in, 914
radiographic studies in, 914–916
treatment/management of, 917–918
in trauma to head and face, 751–752
initial management in, 745–750
prehospital care in, 749–750
shock in, 750
types of, 759–773
musculature of, 777
radiography data on, 26–29
subaxial, injuries of, 766–773
trauma to, airway management in, 745–749
upper, injuries of, 759–766
Chauffeur fractures, 838
Chest, radiographs of. See *Radiography, of chest.*
Chest trauma, blunt, classification of, 41
evaluation of patient with, **41–62**
methods of, 42
Chest wall, injury to, and pulmonary injury, evaluation of patient with, 42–44
Child(ren), and adults, differences in, 341–342
bones of, remodeling in, 895
centers for ossification of elbow in, 845
closed head trauma in, 18–19
dislocation of shoulder in, 903
fracture of humerus in, 903–904
fracture patterns in, 896
fractures of clavicle in, 902–903
headaches in, 131
injuries to lower extremity in, 907–912
injuries to upper extremity in, 902–907
minor, treatment of, fundamentals of, 342–351
in emergency department, **341–352**
orthopedic injuries in, evaluation and treatment of, in emergency department, **895–922**
orthopedically injured, physical and diagnostic examination in, 902
treatment of, 901
physeal fractures in, 896–897
seizures in, 208
supracondylar fractures in, 904–906
witnesses to domestic violence, disorders in, 598–599
Child abuse, and abused women, 670–671
diagnosis of, history of injury in, 918–919
mistakes made in, 587–588
physical examination in, 919
radiography in, 919–920
dietary history of child and, 579
documentation of, history of, 575–576
emergency department evaluation of, **575–593**
epidemiology of, 577
events related to, documentation of, 579
family history of child and, 579
family of child and, 578
four types of, 576–577
interview with caretaker following, 578
interview with child following, 578
intimate partner abuse and, 648, 649
obtaining history in, 578–580
orthopedic injuries in, 918
past medical history of child and, 579
perpetrators of, 577
physical findings in, 580–585
radiography in, 585–586
social history of family of child and, 579–580
victim of, management and disposition of, 589

Cholinergic crisis, as cause of weakness in elderly, 270–271
Chronic progressive diseases, focus on remaining life issues in, 554
Civil protection orders, 612
Clavicle, fractures of, 873–874
in children, 902–903
Clinical decision making, and diagnostic testing, in emergency medicine, **1–275**
Clinical practice, conflicts with emergency medicine, contractual agreements, fee splitting, and kickbacks, 481–482
financial, in practice environment, 481
resource utilization and, 480–481
Clinical research. See *Research.*
Cluster headaches, 137
Coadaptation splint, 875
Coercive control, as domestic violence, 662
Cognitive function, of elderly, assessment of, in emergency department, 505–506
Collar button abscess, 816
Colle's fracture(s), 839–840, 857–858
reverse, 838, 857
Colonoscopy, in lower gastrointestinal bleeding, 251
Comfort care, in emergency department, 542–547
Communication, and conflict resolution, in emergency medicine, **451–459**
between medical colleagues, 456–457
truthful, with patients, 554
with nursing colleagues, 454–456
with patients, improving of, 453–454
Competency, and ability to give consent, 508–509
evaluation of, in elderly, 509
Complete blood count, and differential, in fever without source, 108–109
in seizures, 203–204
in syncope, 195
Compression injuries, cervical, 772–773
Computed tomography, in blunt abdominal trauma, 67–69
in child abuse, 586
in low back pain, 883–884
in sinusitis, 179, 181
in spinal trauma, 32–33
of cervical spine, indications for, 756
of chest, in blunt aortic injury, 46–47
in chest wall injuries, 43–44
of head, in syncope, 197
Condylar fractures, 849, 850
Confidentiality, 293, 319–320
and provision of healthcare to minors, 344–345
definition of, 385–386
in emergency department, **385–396**
barriers to, 386–388
federal legislation and, 393
importance of, 388–389
legal issues and, 392–393
medical records and, 390–392
problems of, 389–390
research on, 393–394
Conflict resolution, communication and, in emergency medicine, **451–459**
Congestive heart failure, dyspnea in, 223–226
Consent, ability to give, competency and capacity for, 508–509
implied, in emergency department, 343–344
informed. See *Informed consent.*
Courtship violence, as domestic violence, 662
Creatine kinase, in blunt myocardial injury, 53–54
Cutaneous disease, misdiagnosed as child abuse, 588

Date rape, 687
dating by adolescents and, 596–598
Death, hastening of, ethical considerations in, 552
Decision-making capacity, assessment of, 519
in individual cases, 519–520
components of, 292–293
impaired, treatment of patients with, 318
lack of, informed consent and, 336–337
Dementia, in emergency department. See *Disability and dementia, in emergency department.*
Dens, fractures of, 763–765
Depression, in dying patient, 547
mimicking psychological disability, 506
Diagnostic testing, clinical decision making and, in emergency medicine, **1–275**
evidence-based evaluation of, methods of, 6–7
in emergency medicine, characteristics of diagnostic test in, 5–6
evidence-based approach to, **1–8**
Difficult patients. See *Patient(s), difficult.*
Disability, to perform tasks adequately, measurement of, 506
Disability and dementia, in emergency department, **505–517**
communication issues and, 511–512
disposition of, 515–516
elder mistreatment and, 513–515
ethical issues and, 509–511
evaluation of, 507–508
problems and pitfalls in, 508
importance of care in, 512–513
Dissociation, as response to violence, 667–668
Distributive justice, 294

Domestic homicide, 701–702
Domestic violence. See also *Intimate partner abuse.*
acceptance and passivity in, 663
among women in international community, **617–630**
clinical indicators of, 660–661
coercive control as, 662
coping mechanisms in, 663–664
courtship violence as, 662
disorders in child witnesses to, 598–599
emotional abuse as, 662
firearms and, problem of, state approaches to, 713
guns and, 703–704
in emergency department, **567–731**
in international community in United States, 619–624
incidence of, 661
intermittent, responses of women to, 663
intervention of emergency department in, implications of, 668–671
longstanding, attitudes of women victims of, 664
cycle of violence in, 663
maintenance of control by abusers in, 662–663
male-directed, 659
medical response to, 657, 658–659
murder as response to, 664
psychiatric history of victim of, as influence on resolution, 665
reporting of, 612
risk factors for, 660
screening protocols in, 661–662
sequelae of, 666
toward undocumented aliens, 660
victims of, acute stress disorder in, 666, 667
identification of, by emergency services, 657
intervention with, in emergency department, 657–658
isolation of, by batterers, 661
post-traumatic stress disorder in, 666, 667
recognition of, 659–662
seen in emergency settings, psychological issues in, **657–677**
understanding of, 662
with limited English language proficiency, 660
Domestic violence hotline, national, 669
Domestic workers, international, abuse of, 624
Droperidol, for management of violent patient, 725
Drug interactions, as cause of weakness in elderly, 268
Durable power of attorney, 521, 529
Dying patient. See *Patient(s), dying.*
Dyspnea, chest radiography in, 228–232, 233
diagnostic testing evidence in, 222
differential diagnosis of, 220
evaluation of existing evidence in, 221–222
evaluation of patient with, **219–235**
in congestive heart failure, 223–226
in pulmonary embolism, 226–228, 229, 230, 231, 232
pneumonia as cause of, 222–223, 224
scope of problem in, 219–221

Earache, acoustic reflectometry in, 171–174
diagnostic testing in, 167
pneumatic otoscopy in, 167–168, 169
scope of problem of, 166
search for literature on, 166
sore throat, and sinusitis, evaluation of patient with, **153–187**
tympanometry in, 168–171
Echocardiography, transesophageal, in blunt myocardial injury, 57–58
in thoracic aortic injury, 47–49
transthoracic, in blunt myocardial injury, 56–57
Elbow, anatomy of, 843–844, 845, 846
and forearm, injuries of, evaluation and treatment of, in emergency department, **843–858**
dislocations of, 852–854
fractures of, 845–854
little leaguers, 850, 851
nursemaid's, 906–907
management of, 92–93
ossification zones of, 845
soft tissue injuries of, 854
Elder abuse, abandonment as, 633
definitions associated with, 631–633
demographics of, 634
detection of, and management of, future directions in, 642–643
history taking in, 638–639
interview questions for, 639
obstacles to, healthcare provider-related, 636–637
patient-related, 635–636
emotional and psychological, 632
financial and material exploitation as, 632
in institutions, 634–635
legal issues related to, 633–634
management of, 640–642
in emergency department, **631–644**
neglect as, 632–633
physical, 632
physical examination findings suggestive of, 639, 640

Elder abuse *(Continued)*
potential victims of, physical assessment of, 640
risk factors for, 637–638
sexual, 632, 695
Elderly patient(s), abuse of. See *Elder abuse.*
cognitive function in, spectrum of, 505
diagnostic tests in, 265
evaluation of, in emergency department, 507
evaluation of competency in, 509
history and physical examination in, 264–265
mistreatment of. See also *Elder abuse.*
detection of, 513
in disability or dementia, seen in emergency department, 513–515
risk factors for, 513
use of emergency department by, 263
weakness in, approach to, **263–275**
specific diseases causing, 265–272
Electrocardiographic monitoring, continuous, in syncope, 198–199
Electrocardiography, in blunt myocardial injury, 51–53
in syncope, 197–198
Electroencephalogram, in seizures, 210
Electrolytes, disturbances of, as cause of weakness in elderly, 267–268
serum, levels of, in syncope, 195–196
Embolism, pulmonary, dyspnea in, 226–228, 229, 230, 231, 232
Emergency department, comfort care in, 542–547
confidentiality in, **385–396**
creation of safe environment in, 727–728
disability and dementia in, **505–517**
domestic violence in, **567–731**
evaluation and treatment of back pain in, **877–893**
evaluation and treatment of injuries of cervical spine and neck in, **739–791**
evaluation and treatment of injuries of elbow and forearm in, **843–858**
evaluation and treatment of injuries of hand in, **793–822**
evaluation and treatment of neck and cervical spine injuries in, **739–791**
evaluation and treatment of pediatric orthopedic injuries in, **895–922**
evaluation of child abuse in, **575–593**
evaluation of shoulder and humerus in, **859–876**
informed consent in, **327–340**
injury surveillance in, in intimate partner violence, 700
intervention of, in domestic abuse, 657–658
implications of, 668–671
management of elder abuse in, **631–644**
management of sexual assault cases in. See *Sexual assault, emergency department management in.*
pediatric, violence in, 718
pediatric orthopedic injuries in, evaluation and treatment of, **895–922**
role of, in violence against women, 624–629
security in, 723, 727–728
treatment of minors in, **341–352**
understanding abusive relationships in, 658
violence in. See *Violence, in emergency department.*
Emergency medical services, advance directives and, 521–522
and violence, future directions in, 682
interpersonal interactions witnessed by, 680
interpersonal violence and, 679
providers of, as victims, 681
exposure to violence, 681
reporting of violence-related medical problems by, 680
students of, scope of instruction for, 680
traditional response of, to violence, 679–680
Emergency medicine, academic, code of conduct for, 288–289
art of, 430–431
teaching of, ethics and, **429–441**
art of teaching, 435–436
clinical decision making and diagnostic testing in, **1–275**
communication and conflict resolution in, **451–459**
with nursing colleagues, 454–456
with patient, 451–454
conflicts of interest in, **475–490**
conflicts with medical industry, 475–479
ethical issues in, **283–559**
laws and ethics in, **307–325**
medical and moral imperatives in, 294–295
professionalism in, **443–450**
current application of, 446–448
methods for promoting, 448–449
research ethics in, **461–474**
research in, unique situations in, 465–467
teaching of ethics in, 436–438
Emergency physician(s), abused pregnant women and, 650–653
and managed care, admission decisions, 410–411
conflicts within, 409
solutions for, 410–411
authority and accountability of, 448
maintenance of honesty by, 447–448

questions for, Good Samaritan acts and, 491–492
service to third parties by, managed care and, 411
stewardship, and managed care, 411–412
suspension of self-interest by, 447
Emergency settings, psychological issues in victims of domestic violence seen in, **657–677**
studies conducted in, exception from informed consent for, 465–466
Emotional abuse, as domestic violence, 662
of elderly, 632
End-of-life care, embracing patient welfare in, 540–541
emergency physicians' role in, **539–559**
and patient treatment priorities, 542
pain relief in, 320
Endoscopy, upper, in upper gastrointestinal hemorrhage, 243
Epicondyle fractures, 850, 851
Esophagogastroduodenoscopy, in upper gastrointestinal hemorrhage, 243–244
Ethical issues, and disability and dementia in emergency department, 509–511
character, virtue, and responsibility, 367–369
in emergency medicine, **283–559**, 310–311
questions for consideration in, 322
with legal implications, 314–321
of managed care, **397–415**
with legal components, analysis of, 321–322
Ethical principles, application of, under managed care, 402–403
Ethical theories, 287–289
Ethics, 283, 309
and laws, differences between, 312–313
in emergency medicine, **307–325**
and teaching art of emergency medicine, **429–441**
code of, American Medical Association and, 445
research, in emergency medicine, **461–474**
teaching of, in emergency medicine, 436–438
Ethics committees, 321
Euthanasia, active, 553
passive, 553–554
Evidence-based emergency medicine, 3–4
Evidence-based medicine, 1–3
Extremity(ies), lower, injuries to, in children, 907–912
trauma to, evaluation of patient with, **77–95**
evidence-based approach to, methods for, 78–80
upper, injuries to, in children, 902–907
Extubation, in emergency departments, 550
Eye pain, and headache, 138–139

Face, head and, trauma to, injuries of cervical spine in, 751–752
Family violence, firearms and, **699–716**
Federal legislation, and confidentiality, in emergency department, 393
Federal regulations, governing research, 463–465
Felon, 813, 814
Fetus, injuries to, from violence during pregnancy, 649–650
Fever, without source, in infant, definition of, 98–99
diagnostic approach to, 101–103
evaluation of, **97–126**
general epidemiology of, 99–101
history, physical examination, laboratory testing in, 117–119
methods of study of, 99
physical examination in, 103–108
single laboratory tests in, 108–117
Financial exploitation, as elder abuse, 632
Firearms, and family violence, **699–716**
magnitude of problem of, 700–701
problem of, state approaches to, 713
counseling patients about, 711
do not deter crime, 706–707
for self-protection, 704–705
for women, 710
in domestic homicide, 703–704
in home, 708–710
in setting of intimate partner violence, advice to victim on risk of, 712
ownership of, and robbery, 707
inquiry into, in history taking in intimate partner violence, 710–711
promotion of safe storage of, 711–712
"shall issue" concealed carry laws and, 707–708
use for defense, 705–706
Flexor tenosynovitis, 815, 816
Fluid disturbances, as cause of weakness in elderly, 267–268
Forearm, acute trauma to, 855
anatomy of, 854–855
and elbow, injuries of, evaluation and treatment of, in emergency department, **843–858**
injuries of, 854–858
Foreign-born spouses, of military personnel, abuse of, 623
Fracture(s). See also specific sites and types of fractures.
in children, patterns of, 896
in infants and small children, 584–585

Full code, 547–548

Galeazzi's fracture-dislocation, 856–857
Gamekeeper's thumb, 805–806
Gang violence, effects of, on adolescents, 598
Gastrointestinal bleeding, age factors in, 240–241
  comorbid conditions in, 242
  evaluation of existing literature on, 237–238
  evaluation of patient with, **237–259**
  history and physical examination in, 240–242
  lower, 247–249
    diagnostic procedures in, 251–253, 254, 255
    history and physical examination in, 249–250
  orthostatic testing in, 241
  recommendations for future research in, 254
  scope of problem in, 237
  shock and, 241
  stool color testing in, 241–242
  upper, diagnostic procedures in, 243–244
    historical studies of, 238–240
    laboratory testing in, 242–243
    outpatient therapy in, 246–247, 248
    risk assessment in, scoring systems for, 244–246
Glascow Coma Scale, 13–15
Glenohumeral dislocations, 867–868
Glucose levels, in syncope, 195–196
Good Samaritan, parable of, 493
Good Samaritan acts, **491–504**
  and conflicts with first responders or other physicians, 501
  conflicts and extenuating circumstances related to, 500–502
  examples of obligation to provide care and, 500
  fear for personal safety and, 502
  fear of legal repercussions and, 502
  fiduciary duty of physician and, 494–495
  in unfamiliar uncontrolled environment, 501
  knowledge of physician and, 494
  medicolegal issues and, 497–499
  performance of, by physicians and lay people, moral responsibilities and, 494
  personal exigencies and, 501–502
  professional standards of physician and, 496
  question of whether to stop and aid or go for aid, 501
  questions for emergency physicians and, 491–492
  reciprocity of physician and, 495–496
Good Samaritan Ethic, 491
Good Samaritan statutes, 320
  in United States, current status of, 498–499
Guillain-Barre syndrome, as cause of weakness in elderly, 270
Guyon's canal, 827, 828

Haloperidol, for management of violent patient, 724–725
Hamate fractures, 836
Hand, bite wounds of, 816–817
  blood supply of, 794
  deep fascial space of, infections of, 816
  extensor tendons of, 796–798
    injuries of, 808–811
  flexor tendons of, 795–796
    injuries of, 807–808
  fractures of, 798–805
  functional anatomy of, 793–798
  high-pressure injection injuries to, 820
  infections of, 811–817
  injury(ies) of, evaluation and treatment of, in emergency department, **793–822**
  nerves of, injuries of, 819–820
  skeleton of, 794
  skin cover of, 793–794
  synovial spaces of, 794, 795
  tendon injuries to, 806–811
  venous and lymphatic systems of, 793
Hangman's fracture, 765–766
Head, and face, trauma to, injuries of cervical spine in, 751–752
Head trauma, closed, economic considerations in, 19–20
    evaluation of existing evidence on, 10–11
    evaluation of patient with, **9–23**
    history taking in, 11–13
    in children, 18–19
    incidence of, 9–10
    loss of consciousness in, 11–13
    physical examination in, 13–16
    symptoms of, 13, 14
    tests in, 16–18
  in child abuse, 580–581
Headache(s), chronic, 144–146
  classification system of, 132–137
  cluster, 137
  diagnosis of, history of, and physical examination in, 141
  epidemiology of, 128–131
  eye pain and, 138–139
  in children, 131
  in HIV-infected patients, 130–131
  migraine, 133–134, 144–146

new-onset, 142–144
nontraumatic, evaluation of patient with, **127–152**
search strategy and evidence assessment in, 142
tension, 136–137
Health care providers, moral and professional responsibilities of, 494–496
Health care workers, screening for weapon-related risks by, 711
Health maintenance organizations. See *HMOs; MCOs.*
Healthcare, ethical dilemmas in, in 1980s and 1990s, 446
Helmet, removal of, from injured athlete, 783
Hemoglobin and hematocrit, in upper gastrointestinal bleeding, 242–243
Hemorrhage, gastrointestinal. See *Gastrointestinal bleeding.*
retinal, in child abuse, 581
subarachnoid, 140–141, 146–148
epidemiology of, 131–132
Hepatitis B, prophylaxis for, in emergency department, following sexual assault, 692
Herniated intervertebral disk, low back pain in, 887–889
Herpetic whitlow, 815
Hill-Sachs deformity, 867
Hip pain, in children, 907
Hippocratic oath, 295, 296
Hippocratic technique, modified, 867, 868
HIV, prophylaxis for, in emergency department, following sexual assault, 692–693
HMOs, historical and legislative issues concerning, 399–401
Homicide, domestic, 701–702
differences in, according to gender, 702
guns in, 703–704
in home, risk factors for, 704, 709–710
suicide and, in home, 703–704
Honor code, definition of, 418–419
honesty and morality instilled by, 417–418
in modern medical education, 423
medical student, **417–428**
S.U.N.Y. at Stony Brook School of Medicine, 424–428
Hospice care, for dying patient, 555
Humerus, distal, fractures of, 845–849
fracture of, in children, 903–904
proximal, fractures of, 874–875
shaft of, fractures of, 875
shoulder and, evaluation of, in emergency department, **859–876**
Hutchinson fractures, 838
Hyperextension injuries, cervical, 768–772
Hyperflexion injuries, cervical, 766–767, 768, 769, 770
Hypotension, in autonomic dysfunction, as cause of weakness in elderly, 269–270
intracranial, 138
orthostatic, as cause of syncope, 192–193
Hypothyroidism, as cause of weakness in elderly, 271–272

Immigrant women, in abusive relationship, 622
Immobilization, in trauma to cervical spine, emergency department assessment during, 749
prehospital care during, 749
Impingement syndrome, 861–863, 864
Infants, fever without source in. See *Fever, without source, in infant.*
Infection(s), as cause of weakness in elderly, 266–267
of hand, 811–817
Informed consent, 314–316
and patient autonomy, 329, 519
emergency exceptions to, 336
essential features of, 330–335
exception from, for studies conducted in emergency settings, 465–466
exceptions to, 335–338
for research, 464
foundations of, 328–330
in emergency department, **327–340**
patient waiver of, 337–338
Instrumental activities of daily living, assessment of ability to perform, 506
Integrity, personal, 294
Intellectual handicaps, 506
Intercondylar fracture(s), 848
International community, domestic violence among women in, **617–630**
in United States, domestic violence in, 619–624
Intervertebral disk, herniated, low back pain in, 887–889
Intimate partner abuse, child abuse and, 648, 649
emergency department-based injury surveillance and, 700
guns in setting of, advice to victim on risks of, 712
history taking in, inquiry into firearm ownership in, 710–711
homicides as, 702
in pregnancy, presentations of, 649
incidence of, 604–605, 700, 701
perpetrators of, 647
protection of victims of, support of public policies for, 712–713

Intimate partner abuse *(Continued)*
screening for, 700
state laws concerning, 652
weapon-related, risks in, evaluation of, 710–711, 713
women as victims of, 605, 647
Intracranial hypotension, 138

Judgement, substituted, 337

Knee, injuries of, evaluation of patient with, 86–91
Kocher maneuver, 867, 869

Law(s), American, and legal system, 311–312
and ethics, differences between, 312–313
in emergency medicine, **307–325**
bioethics and, relationship between, 284–286
limitations of, in resolving ethical issues, 313–314
state, concerning intimate partner abuse, 652
Legal issues, and confidentiality in emergency department, 392–393
related to elder abuse, 633–634
Legg-Calvé-Perthes disease, 909–910
Life issues, remaining, focus on, in chronic progressive diseases, 554
Life support, withdrawal of, guidelines for, 543, 544
pain management during, 546
withholding or withdrawing of, 550
Life-sustaining treatment, medical and economic considerations for, 531
refusal of, 316–318
Little leaguers elbow, 850, 851
Living wills, 520, 529
Lorazepam, for management of violent patient, 725
Low back pain, 34–37. See *Back pain, low.*
thoracolumbar radiographic data in, 35–36
Lower extremity, injuries to, in children, 907–912
Lumbosacral strain, acute, evaluation in, 884–885
treatment of, 885–887
Lunate dislocation, 837
Lunate fractures, 836
Lung(s), injury to, in chest wall injury, evaluation of patient with, 42–44
Luxatio erecta, 867
Lymphangitis, of hand, 812

Magnetic resonance imaging, in head trauma, 17–18
in low back pain, 883
of cervical spine, indications for, 756
of shoulder, 861
Mail-order bride, as dangerous stereotype, 622–623
Mallet finger, 802–803
Malnutrition, as cause of weakness in elderly, 269
Managed care, alternative providers and, 407–408
application of ethical principles under, 402–403
authorization of access to necessary care and, 404–405
definition of, 399
ethical issues of, **397–415**
gatekeeping and, 405–406
justice concerns and, 408–409
moral conflict and, 402–404
philosophical distinctions in, 403–404
practice guidelines and, 406
questions concerning, 398
requested marginally beneficial care and, 406–407
specific ethical challenges under, 404–408
Managed care organizations. See *MCOs.*
MCOs, and outcomes, 401–402
disclosure and defamatory gag rules in, 407
historical and legislative issues concerning, 399–401
Medical colleagues, communication between, 456–457
Medical ethics. See *Ethics.*
Medical industry, conflicts with emergency medicine, 475–479
and gifts from industry, 478–479
financial, and researcher, 477–478
resources for resolution of, 476
Medical Organizations, ethical codes of, compared, 298
Medical records, and confidentiality in emergency department, 390–392
Medical student honor code, **417–428**
Medications, for management of violence in emergency department, 724–725
Medicine, art of, 429–431
Medicolegal issues, and Good Samaritan acts, 477–479
Men, sexual assaults on, 695
Mental illness, in suicidal patient, 374
Mesenteric angiography, in lower gastrointestinal bleeding, 252–253

Metacarpal base, fractures of, 801
Metacarpal fractures, 798–802
of thumb, 801–802
Metacarpal head, fractures of, 798–800
Metacarpal neck, fractures of, 800–801
Metacarpal shaft, fractures of, 801
Metal detectors, in emergency department, 728
Migraine headaches, 133–134, 144–146
Military personnel, foreign-born spouses of, abuse of, 623
Minors. See under *Child(ren)*.
Misconduct, scientific, and conflicts with emergency medicine, 484
and research, 467–469
Monteggia's fracture-dislocation, 856
Moral relativism, 309
Motor vehicle accident, decision to intervene in, 492
Munchausen's syndrome by proxy, 585
Murder, as response to domestic violence, 664
Muscle atrophy, as cause of weakness in elderly, 269
Myasthenia gravis, as cause of weakness in elderly, 270–271
Myocardial infarction, as cause of weakness in elderly, 266
Myocardium, blunt injury to, diagnosis of, 51–58

Nail plate, abscess of, 812–813
Nailbed, injuries of, 817–819
Nasogastric aspirate and lavage, in upper gastrointestinal hemorrhage, 243
National Crime Victimization Survey, 701, 706
Neck, and cervical spine, injuries of, emergency department evaluation and treatment of, **739–791**
blunt trauma to, vascular injuries in, 775, 776, 777, 778
soft tissue injuries to, 775–779
Neglect, as elder abuse, 633
Negligence, 330
Nerves, of hand, injuries of, 819–820
Neuralgia, postherpetic, 138
Neurogenic shock, 773
Nightstick fracture, 855–856
No code, 549
Nonmaleficence, 293
Nursemaid's elbow, 906–907
management of, 92–93
Nursing colleagues, communication with, 454–456

Oaths and codes, ethical, 295–297
Olecranon fracture(s), 850–851
Opiate withdrawal, emergency care and, 361–362
Opioids, for dying patient, 543
Oral injury, in child abuse, 583
Orthopedic emergencies, **739–912**
Orthopedic injuries, pediatric, evaluation and treatment of, in emergency department, **895–922**
Orthostatic hypotension, as cause of syncope, 192–193
Otoscopy, pneumatic, in earache, 167–168, 169

Pain, back, low. See *Back pain, low.*
hip, in children, 907
in dying patients, 542
relief of, 543
inadequate management of, excuses for, 543
monitoring of adequacy of, 543
low back. See *Back pain, low.*
management of, during withdrawal of life support, 546
relief of, in end-of-life care, 320
"Panic buttons", in emergency department, 728
Paronychia, 812–813
Passive euthanasia, 553–554
Patient(s), as central to medical decision-making, 446
autonomy of, informed consent and, 329, 519
capacity of, informed consent and, 331–332
communication with, improving of, 453–454
difficult, **353–370**
care of, 353–354
cases illustrating, 356–367
definition of, 354–367
restraints for, 356–358
dying, care of, in emergency department, 541
communicating truthfully with, 554
depression in, 547
for hospice care, 555
opioids for, 543
pain in, 542
relief of, 543
elderly. See *Elderly patient(s).*
manipulative, 361
of another physician in hospital, decision to intervene and, 492
recently deceased, procedures on, 532
respect for rights of, and protection of best interests of, 551–554
suicidal, in emergency department, ethical issues concerning, **371–383**

Patient(s) *(Continued)*
mental illness in, 374
violent, initial approach to, 722–723
management of, legal considerations in, 728–729
recognition of, 722
welfare of, embracing of, 540–541
well-being of, informed consent and, 328–329
Patient Self-Determination Act, 524
Pediatric orthopedic injuries, evaluation and treatment of, in emergency department, **895–922**
Peer review, conflicts with, and conflicts with emergency medicine, 484–487
Perilunate dislocation, 837
Peritoneal lavage, in blunt abdominal trauma, 65–67
Perpetrator, as victim, decision to intervene and, 493
Personal integrity, 294
Personality dysfunction, in abused women, 666
Phalanx(ges), distal, fractures of, 802–804
middle and proximal, fractures of, 804–805
Pharyngitis, acute, 153
Group A beta hemolytic Streptococcus causing, 153–154
carrier state, 157–164
diagnostic testing in, recommendations for, 164
evaluation of existing literature on, 154–155
future research considerations in, 164–165
historical information on, 155
history and physical examination in, 155–156
microbiologic culture in, 156–157
rapid Strep tests in, 156–157, 158–163
Photography, in child abuse, 587
Physeal fractures, in children, 896–897
Physical capacity, measurement of, 506
Physical examination, in orthopedic injuries in child abuse, 919
in shoulder pain, 860
in violence in emergency department, 721–722
of elderly patients, findings suggestive of abuse in, 639, 640
Physician(s), emergency. See *Emergency physician(s).*
and abused woman, future directions for, 628–629
help of, for abused international woman, 627–628
Pisiform, fractures of, 832, 835–836
Plagiarism, 471
Pneumatic otoscopy, in earache, 167–168, 169
Pneumonia, as cause of dyspnea, 222–223, 224
as cause of weakness in elderly, 266–267
Polymyalgia rheumatica, as cause of weakness in elderly, 271
Postherpetic neuralgia, 138
Power of attorney, durable, 521, 529
Pregnancy, treatment/prophylaxis for, in emergency department, after sexual assault, 690–691, 693
violence during. See *Violence, during pregnancy.*
Pregnant patient(s), abused, clinical presentation of, 648–650
counseling for, 653
documentation of evaluation of, 651–652
referrals for, 652
safety plan for, 652–653
treatment of, 650–653
intimate partner abuse of, presentations of, 649
Prehospital advance directives, regulation of, 521–522
Prehospital setting, violence in, **679–683**
Psychiatric patient, abused, fate of, case illustrating, 665
Psychological disability, depression mimicking, 506
Psychological issues, in victims of domestic violence seen in emergency settings, **657–677**
Psychopathology, in abused women, 668
Psychosocial assessment, adolescent, HEADSS and SHADSSS, 342
Public health problem, violence against women as, 603
violence as, 568–569
Public health requirements, informed consent and, 338
Pulmonary embolism, dyspnea in, 226–228, 229, 230, 231, 232

Radiography, in ankle injuries, 80–86
in child abuse, 585–586, 919–920
in sinusitis, 177, 178
of chest, in blunt aortic injury, 44–46
in chest wall injuries, 42–43
in dyspnea, 228–232, 233
in fever without source, 116–117
plain spinal, in low back pain, 883
Radiologic studies, in seizures, 209
Radiology, of wrist, 828, 830–832
Radionuclide imaging, in low back pain, 884
Radioulnar fractures, 858

Radioulnar joint, distal, dislocations of, 840
Radius, distal, fractures of, 838–840, 857–858
  fractures of, 856–857
  head of, fractures of, 851–852
    subluxation of, 906–907
Rape. See also *Sexual assault*.
  date, dating by adolescents and, 596–598
  legal definition of, 696
  marital, 686–687
  post-traumatic stress disorder following, 685
  traditional definition of, 696
Rape trauma syndrome, 694
Rapid Strep tests, in Group A beta hemolytic streptococcal pharyngitis, 156–157, 158–163
Reflectometry, acoustic, in earache, 171–174
Religion, and bioethics, relationship between, 286–287
Relocation test, 860
Research, as necessary, 461
  authorship and publication ethics related to, 469–471
  autonomy and, 463
  conducted in emergency settings, exception from informed consent for, 465–466
  conflict of interest and, 471–472
  ethical principles for, 462–463
  federal regulations governing, 463–465
  grants and contracts for, 472–473
  in emergency medicine, unique situations in, 465–467
  informed consent for, 464
  integrity of, and conflicts with emergency medicine, 482–484
  on confidentiality in emergency department, 393–394
  scientific misconduct and, 467–469
  unethical, history of, 462
Research ethics, in emergency medicine, **461–474**
Researcher, and financial conflicts with medical industry and emergency medicine, 477–478
Restraints, for difficult patient, 356–358
  for management of violent patient, 725–726
Resuscitation, ethical issues of, **527–538**
Retinal hemorrhage, in child abuse, 581
Rights, 285–286
Robbery, ownership of firearms and, 707
Rolando's fracture, 802
Rotational injuries, cervical, 768, 771
Rotator cuff tears, 867

Safety Planning with Domestic Violence Victims, 611
Salter-Harris classification, of physeal fractures, 897–901
Scaphoid fractures, 832–834
Scapholunate dissociation, 835, 836
Scapula, fractures of, 874
Scapular rotation, 867–868, 870
Sciatica, and low back pain, 887–889
Scientific misconduct, and conflicts with emergency medicine, 484
  research and, 467–469
Security, in emergency department, 723, 727–728
Seizure(s), and syncope, historical factors compared in, 192
  causes of, 201–202
  diagnostic testing evidence in, 203, 212–213
  electroencephalogram in, 210
  evaluation of evidence on, 202–203
  evaluation of patient with, **201–218**
  in children, 208
  incidence and frequency of, 201
  laboratory studies in, 203–208
  lumbar puncture in, 210
  radiologic studies in, 209
  testing considerations in, special, 214–215
  tests for specific patient groups in, 210–212
Self-Determination Act, Patient, 524
Septic arthritis, in children, 908–909
Sexual assault, **685–698**
  as elder abuse, 695
  by acquaintances or significant others, 686
  crisis intervention in, 694
  definition of, 685
  emergency department management in, 685, 687–694
    evidence collection and documentation in, 689–690
    history taking in, 688–689
    initial approach in, 687–688
    prophylaxis for hepatitis B in, 692
    prophylaxis for HIV in, 692–693
    treatment/prophylaxis for pregnancy, 690–691, 693
    treatment/prophylaxis for sexually transmitted diseases, 690, 691–693
  emotional reaction following, 693–694
  followup care in, 694–695
  historical perspective on, 686–687
  in special populations, 695
  long-term sequelae of, 694
  prevention of, 695–696
  sequelae of, 685
  statistics on, 686
Sexually transmitted diseases, treatment/prophylaxis for, in emergency department, after sexual assault, 690, 691–692, 693

"Shaken baby" syndrome, 580
Shock, in injuries of cervical spine, 751–752
  neurogenic, 773
  spinal, 773
Shortness of breath. See *Dyspnea.*
Shoulder, anatomy of, 859–860
  and humerus, evaluation of, in emergency department, **859–876**
  dislocation(s) of, 867–868, 869, 870, 871
    in pediatric patient, 903
    inferior, reduction of, 868, 871
    postreduction views of, 91–92
  imaging of, 861
  pain in, history and physical examination in, 860
  soft tissue disorders of, 861–863, 864
SIDS, misdiagnosed as child abuse, 588
Significant others, sexual assault by, 696
Sinusitis, 137
  description of, 174
  diagnostic testing in, 177–179
  earache, and sore throat, evaluation of patient with, **153–187**
  physical examination in, 175–177
  search for articles on, 174
Skeletal disorders, misdiagnosed as child abuse, 587–588
Skeletal injury, in child abuse, 584–585
Skin, in child abuse, 582–585
Skull films, in head trauma, 17
Slow codes, 548–549
Smith's fracture(s), 838–839, 857–858
Social worker, referral of victim of abuse to, 668
Soft tissue injuries, to neck, 775–779
Somatization, as response to violence, 667
Sore throat, earache, and sinusitis, evaluation of patient with, **153–187**
  scope of problem of, 153
Speed's test, 864, 865
Spinal column, anatomy of, 740–745
Spinal cord, compresion of, low back pain in, 889–891
  injury(ies) of, 773–775
    epidemiology of, 740
    frequency and selected characteristics of, by sport, 780
    initial management in, 745–750
    prehospital care in, 749
    shock in, 750
    without radiographic abnormality, 917
Spinal shock, 773
Spine, cervical. See *Cervical spine.*
  metastatic disease to, low back pain in, 891–892
  trauma to, and back pain, evaluation of patient with, **25–39**
    computerized tomography in, 32–33
Splinting, buddy, 805
Spondylolisthesis, traumatic, of axis, 764, 765–766
Status epilepticus, 202
Stay-away orders, 612
Stener lesion, 805–806
Sternoclavicular dislocations, 873
Stingers or burners injuries, 785
Stool, analysis of, in fever without source, 116
Stress disorder(s), acute, in victims of domestic violence, 666, 667
  post-traumatic, following rape, 685
    in victims of domestic violence, 666, 667
  traumatic, in abused women, 666–667
Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatments (1995), 540
Subacromial bursitis, 866
Subarachnoid hemorrhage, 140–141, 146–148
Substance abuse, as cause of weakness in elderly, 268
Sudden infant death syndrome, misdiagnosed as child abuse, 588
Suicidal patient(s), in emergency department, ethical issues concerning, **371–383**
  mental illness in, 374
Suicide, and homicide, in home, 703–704
  and rationality, 373–375
  attempted, in terminal illness, impact on emergency medicine, 378–380
  autonomy and, 373, 376
  definitions in, and history of, 371–373
  in terminal illness, 375–380
  physician-assisted, 553
  right to, question of, 380
  risk factors for, 704, 709
S.U.N.Y. at Stony Brook School of Medicine, honor code of, 424–428
Supracondylar fractures, in pediatric patients, 904–906
Supracondylar fracture(s), 845–848
Swan-neck deformity, 810, 811
Syncope, and seizure, historical factors compared in, 192
  commonest causes of, 189
  complete blood count in, 195
  continuous electrocardiographic monitoring in, 198–199
  electrocardiogram in, 197–198
  evaluation of patient with, **189–201**
  history taking and physical examination in, 190–195, 196
  in arrhythmia, 193
  in atrioventricular block, 193–194
  literature search in, 190
  orthostatic hypotension as cause of, 192–193

serum electrolytes and glucose levels in, 195–196
sustained monomorphic ventricular tachycardia and, 194–195
Synovitis, acute transient, in children, 907–908
"toxic", in children, 907–908

Teaching, art of, 431–435
emergency medicine, 435–436
evaluation of performance and, 434–435
procedural models and, 433
teaching procedures and, 432–433
Technetium bleeding scan, in lower gastrointestinal bleeding, 251–252
Temporal arteritis, 139
Tendon injuries, to hand, 806–811
Tendonitis, biceps, 863–866
calcific, of shoulder, 866–867
Tenosynovitis, 841
flexor, 815, 816
Tension headaches, 136–137
Terminal illness, suicide in, 375–380
Terminal symptoms, management of, by emergency personnel, 542
selected treatment options for, 545
shortness of breath as, 546–547
Therapeutic privilege, 338
Thumb, metacarpal fractures of, 801–802
Transcondylar fracture(s), 848
Transesophageal echocardiography, in blunt myocardial injury, 57–58
in thoracic aortic injury, 47–49
Transthoracic echocardiography, in blunt myocardial injury, 56–57
Trauma victim, outside of hospital, decision to intervene in, 492
Treatment alternatives, information about, informed consent and, 333–334
Triquetrium fractures, 834, 835
Troclear fractures, 850
Troponin, in blunt myocardial injury, 54–55
Tympanometry, in earache, 168–171

Ultrasound, in blunt abdominal trauma, 69, 70
in sinusitis, 177–179, 180
"Un-code," 549–551
Upper extremity, injuries to, in children, 902–907
Urinalysis, in fever without source, 109–113
Urinary tract infection, as cause of weakness in elderly, 266–267

Vascular injuries, in blunt trauma to neck, 775, 776, 777, 778
Ventricular tachycardia, sustained monomorphic, syncope and, 194–195
Violence, adolescent, **595–602**
against women, **603–615**. See also *Domestic violence; Intimate partner abuse.*
as global health threat, 617–618
as public health problem, 603
assessment of, and intervention in, 608–612, 657
documentation of, 612
during pregnancy. See *Violence, during pregnancy.*
general characteristics of, 605–606
globally mobile, 618–619
incidence and prevalence of, 604–605
reporting of, 612
scope of problem of, 603–604, 671
victims of, demographic characteristics of, 606–607
identification of, 607
options of, 664–665
remaining in relationship, 664
screening of, 607–608
as multidimensional and multifactorial, 569
as public health emergency, **567–573**
as public health problem, 568–569
domestic. See *Domestic violence.*
during pregnancy, **645–656**
complications resulting from, 649–650
components of, 645–646
epidemiology of, 646–648
identification of victims of, 648, 651
in adults, 646
in teenagers, 646
lack of prenatal care and, 647
risk factors for, 647, 653, 660
emergency medical services and, future directions in, 682
exposure of emergency medical services providers to, 681
family, firearms and, **699–716**
gang, effects of, on adolescents, 598
in emergency department, **717–731**
epidemiology of, 717–719
etiology of, 719–722
information from witnesses in, 720–721
management of, 724–727
physical examination in, 721–722
precipitants of, 681–682
treatment of organic disorders and, 720
in pediatric emergency department, 718
in prehospital setting, **679–683**
interpersonal, emergency medical services and, 679
intimate partner. See *Intimate partner abuse.*

Violence *(Continued)*
magnitude of problem of, 568
prevention of, 570–571
complications and compounding factors in, 572
ripple effect of, 567
surveillance systems for, 569–570
traditional response of emergency medical services to, 679–680
victims of, decision of, to leave abusive relationship, 665–666
mental health of, 666–668
Violence "code" team, for management of violent patient, 725–726
Violence Prevention Risk Assessment, 610
Violent patient. See *Patient(s), violent.*
Voluntariness, informed consent and, 334–335

Weakness, in elderly patient, approach to, **263–275**
specific diseases causing, 265–272
Witnesses, information from, in violence in emergency department, 720–721
Woman(women), abused. See *Abused woman(women).*
at risk during early phase of relationship, 670
domestic violence among, in international community, **617–630**
firearms for, 710
globally mobile, violence against, 618–619
immigrant, in abusive relationship, 622
international, abuse of, detection of, in emergency department, 625–627
Wrist, anatomy of, 823–827
clinical evaluation of, 827–830
dorsal landmarks of, 824–825
examination of, maneuvers for, 829
injuries of, evaluation and treatment of, in emergency department, **823–842**
specific, 832–836
palmar surface landmarks of, 825–827, 828
radiology of, 828, 830–832
soft tissue conditions of, 840–841

X-rays, interpretation of, in imaging of cervical spine, 753–756

Yergason's test, 864, 865